

# Reference Guide for Providers

| Measure Type             | Measure                                   | Description  | Documentation  |
|--------------------------|---|--|--|
| Clinical Quality Measure | Childhood Immunizations: Combo 10 (CIS-E) | <p>Children who turned two (2) during the measurement year and received the following immunizations by their 2nd birthday:</p> <ul style="list-style-type: none"> <li>• Four (4) DTaP (Diphtheria, Tetanus, Acellular Pertussis)</li> <li>• Three (3) IPV (Polio)</li> <li>• One (1) MMR (Measles, Mumps, Rubella) or history of Measles, Mumps, <b>and</b> Rubella</li> <li>• Three (3) HiB (H Influenza Type B)</li> <li>• Three (3) Hep B (Hepatitis B)</li> <li>• One (1) VZV (Varicella) or history of chickenpox</li> <li>• Four (4) PCV (Pneumococcal Conjugate)</li> <li>• One (1) Hep A (Hepatitis A)</li> <li>• RV (Rotavirus): 2-dose or 3-dose schedule</li> <li>• Two (2) Influenza – One (1) of the two (2) can be an LAIV vaccination administered on their 2nd birthday</li> </ul> | <ul style="list-style-type: none"> <li>• Based on claims data and California Immunization Registry (CAIR) data.</li> <li>• Document all immunizations in the chart and in CAIR.</li> </ul> |

## Reference Guide for Providers

| Measure Type             | Measure  | Description   | Documentation  |
|--------------------------|--|---|--|
| Clinical Quality Measure | <b>Immunizations for Adolescents: Combo 2 (IMA-E)</b>                    | <p>Adolescents who turned 13 during the measurement year and received the following immunizations by their 13th birthday:</p> <ul style="list-style-type: none"> <li>• One (1) Meningococcal Serogroups A, C, W, Y</li> <li>• One (1) Tdap (Tetanus, Diphtheria, Acellular Pertussis)</li> <li>• Two (2) HPV at least 146 days apart or three</li> <li>• Three (3) HPV between their 9th and 13th birthday</li> </ul> | <ul style="list-style-type: none"> <li>• Based on claims data and CAIR data.</li> <li>• Document all immunizations in the chart and in CAIR.</li> </ul>  |
| Clinical Quality Measure | <b>Developmental Screening in the First Three Years of Life (DEV-CH)</b> | <p>Children screened for risk of developmental, behavioral, and social delays using a standardized screening tool in the 12 months preceding or on their first, second, or third birthday during the measurement year.</p>  | <p>The following tools meet the measure criteria and are included in the Bright Futures Recommendations for Preventive Care:</p> <ul style="list-style-type: none"> <li>• Ages and Stages Questionnaire – 3rd Edition (ASQ-3)</li> <li>• Parents’ Evaluation of Developmental Status (PEDS) – Birth to age eight (8)</li> <li>• Parent’s Evaluation of Developmental Status – Developmental Milestones (PEDS-DM)</li> <li>• Survey of Well-Being in Young Children (SWYC)</li> </ul> |
| Clinical Quality Measure | <b>Topical Fluoride for Children (TFL-CH)</b>                            | <p>Children ages 1 through 20 who received at least two topical fluoride applications as: (1) dental or oral health services, (2) dental services, and (3) oral health services during the measurement year.</p>  | <p>Provide topical fluoride varnish to pediatric members ages 1-5 during routine office visits.</p>  |
| Clinical Quality Measure | <b>Lead Screening in Children (LSC-E)</b>                                | <p>Children two (2) years of age who had one (1) or more capillary or venous lead blood tests for lead poisoning by their 2nd birthday.</p>   | <p>Follow the American Academy of Pediatrics (AAP) Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents.</p>  |

# Reference Guide for Providers

| Measure Type             | Measure  | Description  | Documentation   |
|--------------------------|--|--|---|
| Clinical Quality Measure | <b>Well-Child Visits in the First 15 Months of Life: Six or More Visits (W30 6+)</b> | Children who turned 15 months old during the measurement year and had six (6) or more well-child visits with a PCP during their first 15 months of life.   | Follow the AAP Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents. |
| Clinical Quality Measure | <b>Well-Child Visits for Age 15 Months to 30 Months: Two or More Visits (W30 2+)</b> | Children who turned 30 months old during the measurement year and had two (2) or more well-child visits with a PCP between their 15-month birthday plus one (1) day and their 30-month birthday. | Follow the AAP Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents. |
| Clinical Quality Measure | <b>Child and Adolescent Well-Care Visits (WCV)</b>                                   | Members 3-21 years of age who had one (1) or more well-care visits with a PCP or OB/GYN during the measurement year.   | Follow the AAP Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents. |

# Reference Guide for Providers

| Measure Type  | Measure  | Description   | Documentation  |
|---------------|--|---|--|
| Other Measure | <b>Initial Health Appointment (IHA)</b>                                | New or re-enrolled members who had one (1) PCP visit or two (2) documented outreach attempts within 120 days of provider assignment.                  | Based on claims data.  |
| Other Measure | <b>Member Satisfaction Survey: Urgent Appointment Availability</b>     | Survey responses received during the measurement year that indicate the member was able to schedule an urgent appointment within 48 hours.            | Survey question: In the last six (6) months, when you made an appointment either in person or by telephone for urgent care that you needed right away, when was your appointment either in person or by telephone scheduled?<br><ul style="list-style-type: none"> <li>a. 0-2 business days</li> <li>b. 3-4 business days</li> <li>c. More than 4 business days</li> </ul> |
| Other Measure | <b>Member Satisfaction Survey: Non-Urgent Appointment Availability</b> | Survey responses received during the measurement year that indicate the member was able to schedule a non-urgent appointment within 10 business days. | Survey question: In the last six (6) months, when you made an appointment either in person or by telephone for a check-up or routine care with this provider, when was your appointment either in person or by telephone scheduled?<br><ul style="list-style-type: none"> <li>a. 0-10 business days</li> <li>b. More than 10 business days</li> </ul>                      |

# Reference Guide for Providers

| Measure Type       | Measure   | Description   | Documentation   |
|--------------------|---|---|---|
| Monitoring Measure | Avoidable Emergency Department (ED) Visits per 1000                   | Members who had avoidable ED visits during the measurement year, using the Johns Hopkins Adjusted Clinical Group (ACG) criteria for either “emergent, primary care treatable” or “non-emergent” visits.   | Based on claims data.   |
| Monitoring Measure | Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) | Members 12 years of age and older who were screened for clinical depression using a standardized instrument and, if screened positive, received follow-up care.   | Use a standard assessment instrument that has been normalized and validated for the appropriate patient population.<br>Eligible screening instruments: <ul style="list-style-type: none"> <li>• PHQ-9</li> <li>• PHQ-2</li> <li>• Beck Depression Inventory-Fast Screen</li> <li>• Center for Epidemiologic Studies Depression Scale – Revised</li> <li>• Edinburgh Postnatal Depression Scale</li> <li>• PROMIS Depression</li> </ul> Ensure appropriate code is used when screening is conducted. |
| Monitoring Measure | Follow-Up After Acute Care Visits for Asthma (AAF-E)                  | Members 5-64 years of age with an urgent care visit, acute inpatient discharge, observation stay discharge, or ED visit with a diagnosis of asthma that had a corresponding outpatient follow-up visit with a diagnosis of asthma within 30 days. | Based on claims data.   |
| Monitoring Measure | Members Engaged in Primary Care (ENPC)                                | Members who had at least one (1) primary care visit within the measurement year   | Based on claims data.   |